



Barry Lawrence Ruderman Antique Maps Inc.

7407 La Jolla Boulevard
La Jolla, CA 92037

www.raremaps.com

(858) 551-8500
blr@raremaps.com

Carte des Terres Australes Comprises entre le Tropique du Capricorne et le Pole Antarctique . . . Augmentee de diverses vues Physiques c. 1754 (New Zealand part of Antarctica!)

Stock#: 45225

Map Maker: Buache

Date: 1754

Place: Paris

Color: Hand Colored

Condition: VG+

Size: 12 x 8 inches

Price: SOLD



Description:

Overview of South Polar Exploration and Conjecture in the First Half of the 18th Century!

Remarkable map of the Southern Hemisphere, most notable for its depiction of Buache's conjectural Antarctic lands and interior sea, and depicts New Zealand as a part of Terres Antarctiques.

This map was Buache's second attempt at depicting the Southern Hemisphere. The first edition of this map lacked any attempt to map Antarctica, which was still completely undiscovered and unknown in the middle of the 18th Century, although it had been depicted on maps since the early 16th Century. It did however include information from Abel Tasman and other Dutch Voyages which touched on New Zealand and Australia. In this rare second edition of the map, we see a fantastic work of fantasy. Buache revises his map of 1739 by incorporating the New Zealand coastline into one of two immense southern landmasses, which were separated by Mer Glaciale (the Glacial Sea).

Buache's map is discussed in depth by Geography Geek [here](#).

In the interior of the imagined southern continent, Buache postulates a large Antarctic Sea, larger than that found in the northern polar regions. Based upon the amount of ice observed floating in the southern waters, Buache further conjectures a massive chain of mountains like those in America, with massive inland rivers. The map frequently mentions icebergs, freezing temperatures and glaciers; icebergs are



**Barry Lawrence Ruderman
Antique Maps Inc.**

7407 La Jolla Boulevard
La Jolla, CA 92037

www.raremaps.com

(858) 551-8500
blr@raremaps.com

**Carte des Terres Australes Comprises entre le Tropique du Capricorne et le Pole
Antarctique . . . Augmentee de diverses vues Physiques c. 1754 (New Zealand part of
Antarctica!)**

even drawn in places.

On the edges of the map is an account of the 1738-9 expedition of Bouvet de Lozier, which mentions the discovery of icebergs between two and three hundred feet high and half a league to two or three leagues in circumference. Buache made Cap de la Circoncision at 54° south, below Africa, a northern promontory of the smaller of his two land masses, next to one of the openings of his polar sea, where Bouvet had recorded his many great icebergs. Buache also shows the route of the voyage of Abel Tasman (1603-1659) in 1642-3, as a source for information about the southern lands. The other opening into the inland sea, to the southwest of South America, was placed where Sharpe and Davis had reported icebergs in 1687. Buache believed that the icebergs must have derived from a floating ice sheet, as in the Arctic, rather than from the newly discovered land. This led him to conclude that the southern continent was not a single landmass but two islands separated by a frozen inland sea, from which icebergs detached themselves to float northwards.

The sea shown in the center of Antarctica was based upon a hypothesis Buache had developed over a number of years. His paper '*Geographical and physical observations, including a theory of the Antarctic regions and the frozen sea which they are supposed to contain*' was published by *The Gentleman's Magazine* in 1763. In it, he hypothesized that the southern pole must contain a frozen sea, fed by mountain ranges and huge rivers, in order to produce icebergs of the size reported by Bouvet; the large sea (Mer Glacial, 'Glacial Sea') depicted on the 1739 map is an early version of this hypothesis. On the map, this sea is described as a Bassin terrestre ('Land-locked basin'), connected to the Southern Ocean by two débouquements ('outlets'); he believed that Antarctica must possess rivers "as considerable as those of Siberia, which create the icebergs of the North". The map states that the sea is conjecturée.

There is also an extensive discussion of Cap de la Circoncision, which would later become Bouvet Island. The island was discovered on January 1, 1739, by Jean-Baptiste Charles Bouvet de Lozier, commander of the French ships *Aigle* and *Marie*. This was the first time land had been spotted south of the 50th parallel south. Bouvet, who was searching for a presumed large southern continent, spotted the island through the fog and named the cape he saw Cap de la Circoncision. He was not able to land and did not circumnavigate his discovery, thus not clarifying if it was an island or part of a continent. His plotting of its position was inaccurate forcing several expeditions to fail to find the island again.

Buache was an academic geographer who researched his material thoroughly, relying on the most up-to-date information from voyages of discovery. He was the first geographer to recognize the important concept of the watershed and it was this that led him to make a number of deductions, some correct, some



**Barry Lawrence Ruderman
Antique Maps Inc.**

7407 La Jolla Boulevard
La Jolla, CA 92037

www.raremaps.com

(858) 551-8500
blr@raremaps.com

**Carte des Terres Australes Comprises entre le Tropique du Capricorne et le Pole
Antarctique . . . Augmentee de diverses vues Physiques c. 1754 (New Zealand part of
Antarctica!)**

not. A correct deduction was the existence of Alaska and the Bering Strait, years before they were officially discovered, while an incorrect deduction was the existence of a central Antarctic sea, which he conjectured to be the source of the icebergs observed by Bouvet in 1738-39.

There are those, including Hapgood, who see Buache's map as a tie in to the Piri Reiss map in the argument that these maps depict a subglacial land mass that is the Antarctic.

Detailed Condition:

Old Color.